



US 20030033224A1


(19) **United States**(12) **Patent Application Publication** (10) Pub. No.: **US 2003/0033224 A1**
(43) Pub. Date: **Feb. 13, 2003**(54) **PRODUCT IDENTITY PRESERVATION AND TRACING**


(52) U.S. Cl. 705/28

(76) Inventors: **Christopher D. Ludwig**, Eden Prairie, MN (US); **Mark R. Nelson**, Minneapolis, MN (US); **Ruth S. Kimmelshue**, Minnetonka, MN (US); **Brad Hildebrand**, Plymouth, MN (US)(57) **ABSTRACT**

Producers and handlers of various grown commodities commingle products together during storage and transportation. The commingling of similar varieties of products with different attributes or characteristics makes it difficult to distinguish between like products. For example, the same variety of grain may have a bio-engineered version and a conventionally grown version that are difficult to differentiate between. A system is described that tracks lots of these products from their creation through the entire storage and transportation process, which can be very complex. Thus, a customer receiving the lot uses the system to trace the lot and determine any important characteristics. Furthermore, the system allows the customer to define the programs that are used in handling products.

Correspondence Address:
SHUMAKER & SIEFFERT, P. A.
8425 SEASONS PARKWAY
SUITE 105
ST. PAUL, MN 55125 (US)

(21) Appl. No.: **09/927,920**(22) Filed: **Aug. 10, 2001****Publication Classification**(51) Int. Cl.⁷ **G06F 17/60**






Fig. 2




Fig. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8A

Trace Report

05/23/2001
03:12 PM

2.1 Producer: Field: Audits:

186 Guy LaFleur 8002 Certifications:

 City, State Trace_Field3 Samples:

 Seed Varieties: V-10

 No Inputs - Trace End Point

2.2 Producer: Field: Audits:

 Jackie Public 8001 Certifications:

188 Anchorage, AK Trace_Field2 Samples:

 Seed Varieties: V-1

 No Inputs - Trace End Point

Detail for Inputs into Trace_Location1 (Mirage)

3 Location: Storage Bin: Audits:

 Trace_Location1 (Mirage) 12 Certifications:

 Trace Co. Trace_Bin2 (Steel Flat Bottom-Area)

 Denver, CO

 Inputs Prior to: 05/09/2001 16:01 Samples:

	Date/Time	Origin	Quantity	Program
3.1	05/09/2001 15:37	2011 My Local Tracing Bin (Bin)	999,999,999	Trace_Program1 01 - 02
3.2	05/08/2001 03:00	8001 Trace_Field2 (Field)	3,451	Trace_Program1 01 - 02
3.3	05/03/2001 01:15	Trace_Location1 Trace_Bin1	123,123	Trace_Program1 01 - 02

3.1 Producer: Farm Bin: Audits:

 Guy LaFleur 2011 Certifications:

 City, State My Local Tracing Bin (Continuous FI

 Inputs Prior to: 05/09/2001 15:37 Samples:

	Date/Time	Origin	Quantity	Program
3.1.1	05/08/2001 11:45	8019 Trace_Field 4 (Field)	500	Trace_Program1 01 - 02

3.1.1 Producer: Field: Audits:

 John doe 8019 Certifications:

 City, State Trace_Field 4 Samples: 1037, 1064, 1082, 1083, 1084, 1081, 1085, 1086, 1087

 Seed Varieties: No Seeds Planted

 No Inputs - Trace End Point

FIG. 8B

Trace Report

05/23/2001
03:12 PM

3.2	Producer:	Field:	Audits:
	Jackie Public	8001	
	Anchorage, AK	Trace_Field2	Certifications:
	Seed Varieties: V-1		Samples:
	No Inputs - Trace End Point		
3.3	Location:	Storage Bin:	Audits:
	Trace_Location1 (Mirage)	11	
	Trace Co.	Trace_Bin1 (Large Flat Steel Storage)	Certifications:
	Denver, CO		
	Inputs Prior to: 05/03/2001 01:15		Samples:
	<i>Date/Time</i>	<i>Origin</i>	<i>Quantity</i> <i>Program</i>
3.3.1	05/09/2001 06:30	Trace_Truck2	66,000 Trace_Program1 01- 02
3.3.1	Transportation:		Audits:
	Trace_Truck2 (Truck)		
	Truck Co		Certifications:
	Inputs Prior to: 05/01/2001 06:30		Samples:
	<i>Date/Time</i>	<i>Origin</i>	<i>Quantity</i> <i>Program</i>
3.3.1.1	05/01/2001 05:00	8000 Trace_Field1 (Field)	5,324 Trace_Program1 01- 02
3.3.1.1	Producer:	Field:	Audits:
	Jackie Public	8000	
	Anchorage, AK	Trace_Field1	Certifications:
	Seed Varieties: V-1,V-2, V-4, V-5, V-6, V-9		Samples: 1030
	No Inputs - Trace End Point		
Detail for Inputs into Trace_Location1 (Mirage)			
4	Location:	Storage Bin:	Audits:
	Trace_Location1 (Mirage)	11	
	Trace Co.	Trace_Bin1 (Large Flat Steel Storage)	Certifications:
	Denver, CO		
	Inputs Prior to: 05/09/2001 04:00		Samples:
	<i>Date/Time</i>	<i>Origin</i>	<i>Quantity</i> <i>Program</i>
4.1	05/04/2001 01:00	Trace_Truck1 (Truck)	5,275,928 Trace_Program1 01- 02
4.2	05/01/2001 06:30	Trace_Truck2 (Truck)	66,000 Trace_Program1 01 - 02

190

FIG. 8C

Trace Report

05/23/2001
03:12 PM

Transportation:

Audits:

Trace_Truck1 (Truck)

Certifications:

Truck Co

Samples:

	<i>Date/Time</i>	<i>Origin</i>	<i>Quantity</i>	<i>Program</i>
4.1.1	05/04/2001 00:01	8000 Trace_Field1 (Field)	555,000	Trace_Program1 01 – 02
4.1.1	Producer:	Field:	Audits:	
	Jackie Public		Certifications:	
	Anchorage, AK	Trace_Field1	Samples:	
	Seed Varieties: V-1,V-	- - - -9		
	No Inputs - Trace End Point			

Transportation:

Audits:

Trace_Truck2 (Truck)

Certifications:

Truck Co

Samples:

	<i>Date/Time</i>	<i>Origin</i>	<i>Quantity</i>	<i>Program</i>
4.2.1	05/01/2001 05:00	8000 Trace_Field1 (Field)	5,324	Trace_Program1 01 – 02
4.2.1	Produ	Field:	Audits:	
	Jackie Public		Certifications:	
	Anchorage, AK	Trace_Field1	Samples:	
	Seed Varieties: V-1,V-	- - - -9		
	No Inputs - Trace End Point			

FIG. 8D




FIG. 9

FIG. 10

230

232 LOT ID	234 TIME/DATE	236 LOCATION ORIGIN	238 LOCATION TYPE	240 LOCATION STATUS	242 COMINGLED LOTS	243 LOCATION DESTINATION
123456	061601 08:15	BIN 1234	ELEVATOR	CLEAN EMPTY	—	BIN 5678
123456	061701 09:30	BIN 5678	BARGE	COMINGLED	789123 654231	

FIG. 11

244

246 LOT	248 SEED VARIETY	250 SEED LOT	252 FARM	254 FIELD
123456	#2 YELLOW CORN	3456	ABCD	5




FIG. 12




FIG. 13

286

© Copyright 2001 Cargill, Incorporated. All rights reserved.

Home | Audit | Contracts | Locations | Records & Users | Reports | Settings & Tools | Intranet | Transcription

Location Search Results

Location Name	Company Name	Address
Rob Test Location ABC	Grainhar, Inc	1234 Main St, Suite 100, Minneapolis, MN 55401
Rob Test Location DEF	Grainhar, Inc	5678 Oak Ave, Suite 200, St. Paul, MN 55102
Rob Test Location GHI	Grainhar, Inc	9012 Elm Dr, Suite 300, St. Louis, MO 63101
Rob Test Location JKL	Grainhar, Inc	3456 Pine St, Suite 400, Kansas City, MO 64101
Rob Test Location MNO	Grainhar, Inc	7890 Cedar St, Suite 500, Omaha, NE 68101
Rob Test Location PQR	Grainhar, Inc	2345 Birch St, Suite 600, Lincoln, NE 68501
Rob Test Location STU	Grainhar, Inc	6789 Walnut St, Suite 700, Des Moines, IA 50301
Rob Test Location VWX	Grainhar, Inc	1011 Maple St, Suite 800, Cedar Rapids, IA 52401
Rob Test Location YZA	Grainhar, Inc	4321 Spruce St, Suite 900, Iowa City, IA 52241
Rob Test Location BCD	Grainhar, Inc	8765 Ash St, Suite 1000, Ames, IA 50010
Rob Test Location EFG	Grainhar, Inc	2109 Hickory St, Suite 1100, Ames, IA 50010
Rob Test Location HIJ	Grainhar, Inc	5432 Sycamore St, Suite 1200, Ames, IA 50010
Rob Test Location KLM	Grainhar, Inc	9876 Dogwood St, Suite 1300, Ames, IA 50010
Rob Test Location NOP	Grainhar, Inc	3210 Redwood St, Suite 1400, Ames, IA 50010
Rob Test Location QRS	Grainhar, Inc	6543 Fir St, Suite 1500, Ames, IA 50010
Rob Test Location TUV	Grainhar, Inc	9876 Juniper St, Suite 1600, Ames, IA 50010
Rob Test Location WXY	Grainhar, Inc	3210 Cypress St, Suite 1700, Ames, IA 50010
Rob Test Location ZAB	Grainhar, Inc	6543 Palm St, Suite 1800, Ames, IA 50010
Rob Test Location CDE	Grainhar, Inc	9876 Willow St, Suite 1900, Ames, IA 50010
Rob Test Location FGH	Grainhar, Inc	3210 Cottonwood St, Suite 2000, Ames, IA 50010
Rob Test Location IJK	Grainhar, Inc	6543 Birch St, Suite 2100, Ames, IA 50010
Rob Test Location LMN	Grainhar, Inc	9876 Elm St, Suite 2200, Ames, IA 50010
Rob Test Location OPQ	Grainhar, Inc	3210 Oak St, Suite 2300, Ames, IA 50010
Rob Test Location RST	Grainhar, Inc	6543 Pine St, Suite 2400, Ames, IA 50010
Rob Test Location UVW	Grainhar, Inc	9876 Spruce St, Suite 2500, Ames, IA 50010
Rob Test Location XYZ	Grainhar, Inc	3210 Fir St, Suite 2600, Ames, IA 50010
Rob Test Location ABC	Grainhar, Inc	6543 Ash St, Suite 2700, Ames, IA 50010
Rob Test Location DEF	Grainhar, Inc	9876 Hickory St, Suite 2800, Ames, IA 50010
Rob Test Location GHI	Grainhar, Inc	3210 Sycamore St, Suite 2900, Ames, IA 50010
Rob Test Location JKL	Grainhar, Inc	6543 Dogwood St, Suite 3000, Ames, IA 50010
Rob Test Location MNO	Grainhar, Inc	9876 Redwood St, Suite 3100, Ames, IA 50010
Rob Test Location PQR	Grainhar, Inc	3210 Fir St, Suite 3200, Ames, IA 50010
Rob Test Location STU	Grainhar, Inc	6543 Juniper St, Suite 3300, Ames, IA 50010
Rob Test Location VWX	Grainhar, Inc	9876 Cypress St, Suite 3400, Ames, IA 50010
Rob Test Location YZA	Grainhar, Inc	3210 Palm St, Suite 3500, Ames, IA 50010
Rob Test Location BCD	Grainhar, Inc	6543 Willow St, Suite 3600, Ames, IA 50010
Rob Test Location EFG	Grainhar, Inc	9876 Cottonwood St, Suite 3700, Ames, IA 50010
Rob Test Location HIJ	Grainhar, Inc	3210 Birch St, Suite 3800, Ames, IA 50010
Rob Test Location KLM	Grainhar, Inc	6543 Elm St, Suite 3900, Ames, IA 50010
Rob Test Location NOP	Grainhar, Inc	9876 Oak St, Suite 4000, Ames, IA 50010
Rob Test Location QRS	Grainhar, Inc	3210 Pine St, Suite 4100, Ames, IA 50010
Rob Test Location TUV	Grainhar, Inc	6543 Spruce St, Suite 4200, Ames, IA 50010
Rob Test Location WXY	Grainhar, Inc	9876 Fir St, Suite 4300, Ames, IA 50010
Rob Test Location ZAB	Grainhar, Inc	3210 Ash St, Suite 4400, Ames, IA 50010
Rob Test Location CDE	Grainhar, Inc	6543 Hickory St, Suite 4500, Ames, IA 50010
Rob Test Location FGH	Grainhar, Inc	9876 Sycamore St, Suite 4600, Ames, IA 50010
Rob Test Location IJK	Grainhar, Inc	3210 Dogwood St, Suite 4700, Ames, IA 50010
Rob Test Location LMN	Grainhar, Inc	6543 Redwood St, Suite 4800, Ames, IA 50010
Rob Test Location OPQ	Grainhar, Inc	9876 Fir St, Suite 4900, Ames, IA 50010
Rob Test Location RST	Grainhar, Inc	3210 Juniper St, Suite 5000, Ames, IA 50010
Rob Test Location UVW	Grainhar, Inc	6543 Cypress St, Suite 5100, Ames, IA 50010
Rob Test Location XYZ	Grainhar, Inc	9876 Palm St, Suite 5200, Ames, IA 50010
Rob Test Location ABC	Grainhar, Inc	3210 Willow St, Suite 5300, Ames, IA 50010
Rob Test Location DEF	Grainhar, Inc	6543 Cottonwood St, Suite 5400, Ames, IA 50010
Rob Test Location GHI	Grainhar, Inc	9876 Birch St, Suite 5500, Ames, IA 50010
Rob Test Location JKL	Grainhar, Inc	3210 Elm St, Suite 5600, Ames, IA 50010
Rob Test Location MNO	Grainhar, Inc	6543 Oak St, Suite 5700, Ames, IA 50010
Rob Test Location PQR	Grainhar, Inc	9876 Pine St, Suite 5800, Ames, IA 50010
Rob Test Location STU	Grainhar, Inc	3210 Spruce St, Suite 5900, Ames, IA 50010
Rob Test Location VWX	Grainhar, Inc	6543 Fir St, Suite 6000, Ames, IA 50010
Rob Test Location YZA	Grainhar, Inc	9876 Ash St, Suite 6100, Ames, IA 50010
Rob Test Location BCD	Grainhar, Inc	3210 Hickory St, Suite 6200, Ames, IA 50010
Rob Test Location EFG	Grainhar, Inc	6543 Sycamore St, Suite 6300, Ames, IA 50010
Rob Test Location HIJ	Grainhar, Inc	9876 Dogwood St, Suite 6400, Ames, IA 50010
Rob Test Location KLM	Grainhar, Inc	3210 Redwood St, Suite 6500, Ames, IA 50010
Rob Test Location NOP	Grainhar, Inc	6543 Fir St, Suite 6600, Ames, IA 50010
Rob Test Location QRS	Grainhar, Inc	9876 Juniper St, Suite 6700, Ames, IA 50010
Rob Test Location TUV	Grainhar, Inc	3210 Cypress St, Suite 6800, Ames, IA 50010
Rob Test Location WXY	Grainhar, Inc	6543 Palm St, Suite 6900, Ames, IA 50010
Rob Test Location ZAB	Grainhar, Inc	9876 Willow St, Suite 7000, Ames, IA 50010
Rob Test Location CDE	Grainhar, Inc	3210 Cottonwood St, Suite 7100, Ames, IA 50010
Rob Test Location FGH	Grainhar, Inc	6543 Birch St, Suite 7200, Ames, IA 50010
Rob Test Location IJK	Grainhar, Inc	9876 Elm St, Suite 7300, Ames, IA 50010
Rob Test Location LMN	Grainhar, Inc	3210 Oak St, Suite 7400, Ames, IA 50010
Rob Test Location OPQ	Grainhar, Inc	6543 Pine St, Suite 7500, Ames, IA 50010
Rob Test Location RST	Grainhar, Inc	9876 Spruce St, Suite 7600, Ames, IA 50010
Rob Test Location UVW	Grainhar, Inc	3210 Fir St, Suite 7700, Ames, IA 50010
Rob Test Location XYZ	Grainhar, Inc	6543 Ash St, Suite 7800, Ames, IA 50010
Rob Test Location ABC	Grainhar, Inc	9876 Hickory St, Suite 7900, Ames, IA 50010
Rob Test Location DEF	Grainhar, Inc	3210 Sycamore St, Suite 8000, Ames, IA 50010
Rob Test Location GHI	Grainhar, Inc	6543 Dogwood St, Suite 8100, Ames, IA 50010
Rob Test Location JKL	Grainhar, Inc	9876 Redwood St, Suite 8200, Ames, IA 50010
Rob Test Location MNO	Grainhar, Inc	3210 Fir St, Suite 8300, Ames, IA 50010
Rob Test Location PQR	Grainhar, Inc	6543 Juniper St, Suite 8400, Ames, IA 50010
Rob Test Location STU	Grainhar, Inc	9876 Cypress St, Suite 8500, Ames, IA 50010
Rob Test Location VWX	Grainhar, Inc	3210 Palm St, Suite 8600, Ames, IA 50010
Rob Test Location YZA	Grainhar, Inc	6543 Willow St, Suite 8700, Ames, IA 50010
Rob Test Location BCD	Grainhar, Inc	9876 Cottonwood St, Suite 8800, Ames, IA 50010
Rob Test Location EFG	Grainhar, Inc	3210 Birch St, Suite 8900, Ames, IA 50010
Rob Test Location HIJ	Grainhar, Inc	6543 Elm St, Suite 9000, Ames, IA 50010
Rob Test Location KLM	Grainhar, Inc	9876 Oak St, Suite 9100, Ames, IA 50010
Rob Test Location NOP	Grainhar, Inc	3210 Pine St, Suite 9200, Ames, IA 50010
Rob Test Location QRS	Grainhar, Inc	6543 Spruce St, Suite 9300, Ames, IA 50010
Rob Test Location TUV	Grainhar, Inc	9876 Fir St, Suite 9400, Ames, IA 50010
Rob Test Location WXY	Grainhar, Inc	3210 Ash St, Suite 9500, Ames, IA 50010
Rob Test Location ZAB	Grainhar, Inc	6543 Hickory St, Suite 9600, Ames, IA 50010
Rob Test Location CDE	Grainhar, Inc	9876 Sycamore St, Suite 9700, Ames, IA 50010
Rob Test Location FGH	Grainhar, Inc	3210 Dogwood St, Suite 9800, Ames, IA 50010
Rob Test Location IJK	Grainhar, Inc	6543 Redwood St, Suite 9900, Ames, IA 50010
Rob Test Location LMN	Grainhar, Inc	9876 Fir St, Suite 10000, Ames, IA 50010

Search for a Location in order to...

- Add a Bin
- Create a Certification for a Bin at a Location
- Create or Change a Location and its Bins
- Generate an Audit Number for a Location
- Generate a Sample Number for a Location's Bin

or

- Manage Location Users
- Mark Grain in a Bin at a Location Ineligible
- Move Grain to a Bin at a Location
- Transfer Grain in a Bin at a Location into a Program
- View a Location's Details
- Create a New Location

Location Name: _____
 Company: _____
 City: _____

© Copyright 2001 Cargill, Incorporated. All rights reserved.

288

290

FIG. 14

292

© Copyright 2001 Cargill, Incorporated. All rights reserved. <http://localnet17001/MoveProduct>

Home | Audit | Contracts | Locations | Escrow Agents | Expenses | Facilities & Leases | Invoicing | Transportation

Move Product - Search for the Destination

[Return To View Product Moves](#)

Storage Bin ID: 1
 Storage Bin Name: bin name
 Bin Type: Concrete Head House
 Location Name: Capital 8x Elevator
 Location Type: loc type

Destination is a Location Storage Bin

Storage Bin ID:
 Storage Bin Name:
 Location Name: Search
 Company Name:

Destination is a Transportation Unit

Transportation ID:
 Transportation Type: Search
 Company Name:

Destination is a Farm Bin

Farm Bin ID:
 Farm Bin Name: Search
 Contract Number:

© Copyright 2001 Cargill, Incorporated.

296

294

FIG. 15

298

300

Address: <http://localhost:7001/MoveProduct>

Move Product - Destination Search Results

Return To View Product Moves

Farm Bin ID: 4
Farm Bin Name: Farm Bin 2
Contract Number: 21
Product Name: Rensselaer
Rensselaer Labels

Storage Bin ID: 1
Storage Bin Name: Concrete Head House
Bin Type: Capital Sh Elevator
Location Name: loc type

Destination is a Location Storage Bin

Storage Bin ID:
Storage Bin Name:
Location Name:
Company Name:

Destination is a Transportation Unit

Transportation ID:
Transportation Type:

Destination is a Farm Bin

Farm Bin ID:
Farm Bin Name:
Contract Number:

21

21

21

FIG. 16

302

Home | Audit | Contracts | Locations | Escorts & Alerts | Escorts | Samples & Tests | Issues | Transportation

View Move Detail

Return To View Product Moves

Program: Innovate Identity Preserved Yellow Corn 01 - 02

Date/Time: 03/28/2001 23:59

Quantity: 12,388 Bushels

Destination Empty and Clean: No

Destination Inspected By: Wendy

External Reference Number: External ID #0

End Customer Trace ID: Field 9

Comments: comments #8
here are some more comments

Storage Bin ID: 1

Storage Bin Name: bin name

Bin Type: Concrete Head House

Location Name: Capital 814 Elevator

Location Type: lot type

Sample Number: 11

Sample Size:

Sampler Name:

Field ID: 2

Field Name: my 2nd field

Contract Number: 3

Program Name: Carrell White Corn 01 - 02

Producer Name: John X Public

304

306

FIG. 17A

302

Quantity: 12,388 Bushels

Destination Empty and Clear: NO

Destination Inspected By: Wendy

External Reference Number: External ID #0

End Customer Trace ID: trace 0

Comments: comments #0
here are some more comments

304

Storage Bin ID: 1

Storage Bin Name: bin name

Bin Type: Concrete Head House

Location Name: Capital Six Elevator

Location Type: loc type

306

Field ID: 2

Field Name: my 2nd field

Contact Number: 3

Program Name: Cargill White Corn 01 - 02

Producer Name: John X Publie

Sample Number: 11

Sample Size:

Sampler Name:

Origin Test Results

Crude Fiber: 1000

Other Test Results: edfudf

308

© Copyright 2001 Cargill, Incorporated.
All rights reserved.

FIG. 17B

310

Cancel & Return To View Product Move Detail

Save

Program: Innovadure Identity Preserved Yellow Corn D1 - 02

Date/Time: 3/14/01 22:17 (mm/dd/yyyy hh:mm)

Quantity: 1000000 Bushels

Destination Empty and Clean: ☐

Destination Inspected By: Inspector gadget

External Reference Number: External ID #6

End Customer Trace ID: Trace 8

Comments: Comments #6

Storage Bin ID: 1

Storage Bin Name: bin name

Bin Type: Concrete Head House

Location Name: Capital Six Elevator

Location Type: lot type

Gettable Sample If No Test: ☐

Date Entered:

Sample Size:

Sampler Name:

Transportation ID: Transportation 22

Transportation Railcar Type: Railcar

Company Name: MJ Railway

FIG. 18

312

Home
Audits
Certifications
Contracts
Locations
People & Users
Programs
Samples & Tests
Traces
Transportation

Trace ID Search
Return to Home

Trace ID:

Trace

Trace ID	Program Name	Last Shipment Date
Kraft May 1	InnovaSure Identity Preserved Yellow Corn 2001-2002	2/27/2001
Kraft June	InnovaSure Identity Preserved Yellow Corn 2001-2002	1/15/2001

Transportation ID

Qator Discovery

Transportation Type

Vessel

Company Name

HYD


314

FIG. 19

316

Home | Audits | Certifications | Contracts | Locations | People & Users | Programs | Samples & Tests | **Traces** | Transportation

Trace ID Search Results
Return to Trace ID Search

Product	Came From	Date/Time	Quantity	Program Name
	Gator	3/12/2001 17:45	45,000	Innovasure Identity Yellow Corn 01-02

Farm Bin ID: 897281
Farm Bin Name: Bln B
Contract Number: 887854321
Producer Name: John J Carlson

318

FIG. 20

320 ↗

[Home](#) | [Audits](#) | [Certifications](#) | [Contracts](#) | [Locations](#) | [People & Users](#) | [Programs](#) | [Samples & Tests](#) | [Traces](#) | [Transportation](#)

Trace Starting Point Search

[Return to View Program Detail](#)



Program Name: InnovaSure Identity Yellow Corn 01-02

Starting Point is a Location Storage Bin

[Search](#)

Date/Time: (mm/dd/yyyy 24hh:mm)

Storage Bin ID: Location Name:

Storage Bin Name: Company Name:

Starting Point is a Transportation Unit

[Search](#)

Date/Time: (mm/dd/yyyy 24hh:mm)

Transportation ID: Company Name:

Transportation Type:

Starting Point is a Farm Bin

[Search](#)

Date/Time: (mm/dd/yyyy 24hh:mm)

Farm Bin ID: Contract Number:

Farm Bin Name:

FIG. 21

322

Home | Audits | Certifications | Contracts | Locations | People & Users | Programs | Samples & Tests | Traces | Transportation

Trace Product Detail

Return to View Program Detail | Generate Complete Trace Report | View Related Audits
View Related Certifications | View Related Samples & Tests

InnovaSure Identity Yellow Corn 01-02

Location: Storage Bin:
Capital Six (Elevator) 8734034
Cargill Yellow (Steel)
Minnetonka, MN

Origin	Date/Time	Quantity	Program
Gator Discovery	3/12/2001 17:45	5,000	InnovaSure Identity Yellow Corn 01-02 View Move
Capital Six - Bin B	3/12/2001 13:10	7,500	InnovaSure Identity Yellow Corn 01-02 View Move

FIG. 22

324 ↘

Home | Audits | Certifications | Contracts | Locations | People & Users | **Programs** | Samples & Tests | Traces | Transportation

Trace Product Certification Detail

Return to Trace Product Detail

InnovaSure Identity Yellow Corn 01-02

Location: Capital Six (Elevator)
Cargill
Minnetonka, MN

Storage Bin: 8734034
Yellow (Steel)

Certification Number	Certification Date	Certification Type
1234567234	3/12/2001	Treatment - Anti Fungal Protocol

FIG. 23




FIG. 24

PRODUCT IDENTITY PRESERVATION AND TRACING

TECHNICAL FIELD

[0001] The invention generally relates to product handling and, more specifically, to the movement, tracking and storage of products.

BACKGROUND

[0002] In general, producers typically create products, store them in a local storage facility, and deliver the products to a customer that makes use of the product in some fashion. A supply chain provides a link between producers and customers, and typically includes any number of intermediaries that handle, transport, and store the product. For many items, the products are unaffected by the storage and handling process. A car manufacturer, for example, builds an automobile, places it on a truck or ship, and sends it to a dealer. The dealer holds or "stores" the automobile for some time until a customer purchases that automobile and takes delivery. If the automobile were damaged during this time period, the damage would be readily apparent and readily traceable to the intermediary.

[0003] However, there are many products that are not readily individually identifiable, and that storage, transportation, handling and/or processing potentially alters. For example, farmers produce and harvest many commodities in bulk, such as grain, seeds, corn, soybeans, or any number of other crops, then store and transport these commodities together in large quantities. As the commodity is harvested, the farmer stores the commodity in a bulk storage facility, such as a bin having many thousands of bushels of grain or seeds. The farmer delivers the commodities to an elevator that stores and distributes commodities received from a number of different farmers. The elevator transfers the commodities to an appropriate transportation device, such as a barge, truck or rail car and the commodity is delivered to either a customer or another intermediate storage facility.

[0004] Participants in a commodity supply chain have generally considered different varieties of a commodity to be uniform and indistinguishable. For example, all number 2 yellow corn was considered the same, whether farmer A or farmer B produced it. Thus, participants could mix these products together for storage and transport, and the customer that purchased the commodities was generally indifferent.

[0005] Technological advances in seed development, crop production, and grain/oilseed handling and processing have altered the previous commodity paradigm and have made product differentiation between the same product with different attributes an increasingly important factor for many customers and consumers to consider. These attributes indicating the character of the product can vary widely, such as the hardness of the kernels, the seed's oil content or protein content, the seed variety, whether the seeds were bio-engineered, etc. Much attention has recently been focused on bio-engineered products, with some customers and consumers seeking products with certain bio-engineered attributes and others seeking products without such attributes that have been produced by conventional development methods. Still other customers and consumers may seek assurances that they are receiving "organically produced" agricultural products (See the Federal Organic Foods

Production Act of 1990, U.S.C. Title 7, Ch.9, § 6501 et seq. and the U.S.D.A. National Organic Program, effective Dec. 21, 2000, 7 C.F.R. Part 205 et seq.).

[0006] As attributes in the grain or seed become more and more specialized (either through bio-engineering or conventional development methods), there is an increased need to be able to prove that the raw materials delivered to the customer are, in fact, what were promised. That is, customers often want to know more than just the type of commodity they are receiving, such as number 2 yellow corn. Instead the customers are looking for some sort of documentation that the product delivered to them contains the higher value attribute they have purchased. Unfortunately, there is often no easy way to tell by analyzing the resultant product. Soybeans with elevated levels of protein look the same as soybeans with standard protein content. Bio-engineered products are visually indistinguishable from their conventional cousins. Unfortunately, tests to identify grains with unique attributes have generally been inaccurate, unreliable, expensive, time consuming, and sometimes not available.

[0007] In an attempt to provide appropriate assurances to receivers of differentiated products, various processes have been developed to establish the history of a given shipment, or lot, of a commodity. For example, the farmer may initially document the variety of seed being utilized, the commodity produced, the farm storage bin the product is placed into, the condition of that storage bin (i.e., empty or full), and what other products are or were in that storage bin since the last time it was cleaned. The farmer retains and maintains these documents and can establish certain facts about a given lot, if requested. Likewise, intermediate storage facilities and transporters of the commodity sometimes generate and retain similar certification documentation, resulting in a very diverse and paper-intensive system that is not easily used to verify the status of a given lot. Furthermore, since participants along the chain maintain their own certification, there is a fair amount of variation in the marketplace.

SUMMARY

[0008] In general, the invention provides techniques for preserving and tracing product origins and attributes. In particular, a system facilitator establishes a network-based lot tracking system that is accessible by each of the participants along the supply chain of a given product. As each participant handles the product, whether producing, harvesting, transporting or storing the product, that participant provides and updates information about the product moving through the entire supply chain. The participant may input, for example, the particular storage location, container, shipment, and the like, for a particular product. In addition, the participant provides any required certification documentation to the lot tracking system. The participant may electronically transfer a certification document or a copy thereof to the system, or may provide an indication of what documentation has been generated.

[0009] In this manner, a given quantity of a product, or lot, is uniquely identified from creation. The system tracks the lot as it moves along the supply chain and monitors other products with which the lot may be commingled. Furthermore, the lot tracking system allows a given customer to define a program that governs the handling of a given product or lot throughout the supply chain. Thus, the product

identity preservation and tracing system facilitates the tracking of products from their creation until their eventual distribution while providing information about the products to interested parties.

[0010] In one embodiment, the invention is directed to a method of utilizing a product identity preservation system. The method comprises receiving product movement information that includes a source location, a destination location and a transportation device. The method further includes generating a trace report indicating if there are any commingled products. The method may also include issuing a recall order recalling a lot determined to be contaminated by the commingling of the product with desired attributes with product containing undesired attributes.

[0011] In another embodiment, the method comprises receiving product movement information that includes a location identification. The method further comprises storing the product movement information wherein the product movement information includes an indication of a time in, a time out, a location identification, and an indication of whether the location was clean and empty when receiving the lot.

[0012] In another embodiment, the method comprises receiving lot identification information from a producer. The method includes receiving storage location information for each storage location the lot is stored in that includes an identification of the storage location, an indication of a time in, a time out, and a clean and empty status. The method also includes receiving transportation information about each transportation device the lot is transported in, including an identification of the transportation device, an indication of a time in, a time out, and a clean and empty status. The method further includes storing the received information in a database and providing a tracking interface for tracking a lot based on the information in the database.

[0013] In another embodiment, the invention is directed to a computer-readable medium having instructions stored thereon. The instructions cause a programmable processor to provide an operating interface to receive operating instructions from a customer to define a lot tracking program. The instructions also provide a production interface to receive lot identification information from a producer of the product. The instructions further provide a transportation interface to receive movement information from a transporter of the product including an identification of the transportation device and timing information. Finally, the instructions provide a storage interface to receive storage information from a storage facility indicating the location where the lot is stored and timing information.

[0014] In another embodiment, the invention includes a system comprising a database to store movement tracking information relating to a unique identification of a lot, a location of the lot, and timing information. The system also includes a web server to generate a tracking screen for tracing the movement and storage of the lot based on the database and to identify any commingled products.

[0015] In another embodiment, the invention includes a system configured to track the movements of a grown product lot between a producer of the product, transporters of the product, and storage units that store the product. The system includes a database and a server. The server is

configured to receive production information from the producer, that includes an identification of a seed variety used for the lot, the field the lot was grown on, a farm storage location, timing data indicating when the lot was stored and when the lot was shipped from the farm storage location. The information also includes an indication whether the farm storage location is clean and empty, and a certification certifying at least a portion of the production information.

[0016] The server also receives transportation information from a transporter of the lot. The transportation information includes an identification of the transportation device, a time received in the transportation device, a time unloaded from the transportation device, an indication of whether the transportation device is clean and empty, and a certification certifying at least a portion of the transportation information.

[0017] The server also receives storage information that includes an identification of the storage facility, a time received by the storage facility, a time delivered from the storage facility, an indication whether the storage facility is clean and empty, and a certification certifying at least a portion of the storage information. The server stores the received production information, transportation information, and storage information in the database and generates tracing information for the lot.

[0018] The details of one or more embodiments of the invention are set forth in the accompanying drawings and the description below. Other features, objects, and advantages of the invention will be apparent from the description and drawings, and from the claims.

BRIEF DESCRIPTION OF DRAWINGS

[0019] FIG. 1 is a block diagram illustrating a network communication system that facilitates communication and commercial transactions through a lot tracking system.

[0020] FIG. 2 is a block diagram illustrating an example lot tracking system for tracking the production and shipment of product that may be commingled.

[0021] FIG. 3 is a flowchart illustrating the basic operation of a lot tracking system consistent with the principals of the present invention.

[0022] FIG. 4 is a block diagram illustrating the production, transportation and storage of a product that is tracked by a lot tracking system.

[0023] FIG. 5 is a flow chart illustrating an example operation of a lot tracking system consistent with the principals of the invention.

[0024] FIG. 6 is a flowchart illustrating an example operation of identifying the condition of a storage location.

[0025] FIG. 7 illustrates a flow chart of an example lot tracing process.

[0026] FIGS. 8A-8D illustrate an example trace report generated as a compilation of a lot's history.

[0027] FIG. 9 is a flow chart illustrating an example operation of generating a test or audit.

[0028] FIG. 10 is a schematic representation of a database table used to track the movements of identified lots.

[0029] FIG. 11 is a schematic illustration of a lot identification database table.

[0030] FIGS. 12-23 illustrate exemplary interfaces for accessing and utilizing the tracking system of the invention.

[0031] FIG. 24 is a block diagram that illustrates a programmable computing system that provides an operating environment suitable for implementing the techniques of the invention.

DETAILED DESCRIPTION

[0032] FIG. 1 is a block diagram illustrating a network communication system 2 that facilitates communication and commercial transactions between various parties, generally referred to as participants 4, and a lot tracking system 10. Participants 4 include producers 6 that grow or create various products and intermediaries 8 that receive the products for storage, processing, and/or transport. Customers 12 ultimately receive and use the products for some commercial purpose. Other participants 4 include internal or external business entities 13 that are linked with lot tracking system 10. Business entities 13 may be accounting departments or other data handling entities that are associated with a business controlling lot tracking system 10 or associated with one of the other participants 4. For example, an accounting department could automatically provide data to lot tracking system 10 dealing with the movement or disposition of various products.

[0033] Customers 12 utilize an appropriate remote device 14, such as a computer, telephone, PDA, or other suitable electronic device, to access lot tracking system 10 through a network 16, such as the Internet, via a communications link 22. Customer 12 accesses lot tracking system 10 and creates a "program" that specifies processes that should be followed in creating, transporting and storing the product. Producer 4 accesses lot tracking system 10 via remote device 14, reviews the program offered by customer 12 and accepts the program, thus generating a contract. Producer 4 grows, harvests and stores the product according to the terms of the program and transfers the product in a given quantity, referred to as a lot, to intermediary 8 for storage and/or transport. Each time the lot is moved and stored in a location, producer 4 or intermediary 8 accesses lot tracking system 10 and updates move data relating to the lot. In addition, the program may require that producer 4 or intermediary 8 provide particular certification documents 18 to lot tracking system 10, either by transferring an electronic document to lot tracking system 10 or indicating that a certification document has been generated. Customer 12 can access lot tracking system 10 and trace a given lot through the supply chain. Lot tracking system 10 determines each storage and transportation location the lot has been in and determines what, if any, other products were commingled with the lot. Lot tracking system 10 provides a trace report 20 that details the history of the lot. Trace report 20 may be generated by or displayed on remote device 14 with data provided by lot tracking system 10.

[0034] As indicated above, a lot is a quantity of a product moved or stored together. Lot tracking system 10 creates lot identification numbers, codes or other identifiers to identify specific lots. Lot tracking system 10 can use various schemas in defining the creation of a lot. For example, lot tracking system 10 generates (or is provided with) a lot

identifier when the lot is initially formed. Thus, lot tracking system 10 can track and record each lot number so created throughout the entire process. Alternatively, each time two or more lots are stored or moved together, lot tracking system 10 generates a new lot identifier. As various lots are commingled, lot tracking system 10 can easily and succinctly track the contents. Of course, all of the information is retained and can be accessed. For example, assuming lot "10" comprises lots "4, 5, and 6", lot tracking system 10 can determine the contents of lot "10" by recalling information pertaining to lots "4, 5, and 6" that is stored in memory. This approach simplifies the data management by not requiring a string of identifiers for commingled lots.

[0035] FIG. 2 is a block diagram illustrating an example lot tracking system 10 for tracking and tracing the production and shipment of product that may be commingled. In particular, lot tracking system 10 includes a software platform 24 that is in communication with a database 26. In addition, participants 4 access software platform 24 through one or more web servers 28. Software platform 24 includes a number of software modules including an administrative module 38, a program configuration module 32, an audit, certification and testing module 34 ("audit module 34"), a lot tracking module 36 and a contract management module 38. Database 26, which is in communication with each of the modules 30-38, includes a contract database 40, a program database 42, a move database 44, a certification database 46, a test database 48, and a lot identification database 49.

[0036] A system facilitator establishes and maintains lot tracking system 10. The system facilitator accesses administrative module 30 to monitor and modify lot tracking system 10, including assigning rights and security levels to participants 4. Customer 12 utilizes program configuration module 32 to define the programs that are accessed by producer 6 and are stored in program database 42. Customer 12 (or other interested parties) utilizes lot tracking module 36 to trace and/or recall a lot based on information in move database 44. Producer 6 intermediary 8, and business entity 13 access audit module 36 and provide move, certification or test data relating to a given lot, which is then stored in move database 44. If a program requires the certification of certain actions or information, producer 6, intermediary 8 or business entity 13 provide the required certification information through audit module 34 and the certification information is stored in certification database 46. Producer 6 and customer 12 generate and ratify contracts through contract management module 38. Contract management module 38 stores and retrieves the contract data from contract database 40.

[0037] Thus, there are a number of ways for participants 4 to enter information into lot tracking system 10 through audit module 34. For example, producers 6 and intermediaries 8 supply their own information, which may include self certification. Independent third party auditors may observe and inspect the locations and procedures of producers 6 and intermediaries 8 and report and/or certify this information through audit module 34. Business entities 13 may supply data indicating a move or other disposition. Finally, various testing facilities may supply test results and other data to lot tracking system 10 through audit module 34.

[0038] FIG. 3 is a flowchart illustrating the basic operation of lot tracking system 10. Referring to FIGS. 2 and 3, lot tracking system 10 receives program data (50) from

customer 12. For example, customer 12 may want 10,000 bushels of conventionally developed #2 yellow corn delivered to a specific location. Customer 12 defines the order and the program requirements through program configuration module 32. To help producer 6 and intermediary 8 manage the program requirements, customer 12 may also define checklists for handling the product. The checklist can include each action that producer 6 and intermediary 9 must follow and may also indicate which certifications must be provided.

[0039] Lot tracking system 10 then receives (52) an acceptance of the program by producer 6 and generates a contract through contract management module 38. Producer 6 stores and/or moves lots of the product and lot tracking system 10 receives data (54) identifying the lot, the transportation or storage location, and the status of that location and stores this information in move database 44. Ultimately, the product is delivered to customer 12 and lot tracking system 10 receives data indicating delivery to customer 12 (50). If the received move data indicates handling by producer 6 or intermediary 8, lot tracking system 10 will again receive move data (54). At any point, customer 12 can access lot tracking system 10 and determine a lot's history (58). Customer 12 can, for example, identify any other crops that have been commingled with the lot in question.

[0040] By way of example, FIG. 4 illustrates operation of lot tracking system 10 during the production of one or more commodities, the transportation of those commodities to various intermediate storage facilities, and the delivery of those commodities to customers 12.

[0041] More specifically, farms 60A, 60B, and 60C (collectively farms 60) have a number of fields F1-F8, where a given crop A,B,C,D or E is grown from corresponding seed types 62A, 62B, 62C, 62D, 62E. For example, crops A, B, C, D and E may include grain, corn, soy beans or any number of other crops. Producer 6 obtains crop information (i.e., yellow corn) from seed distributors based on the selected seed 62 for the desired crop A-E. The crop information may describe, for example, the various attributes of seed 62, such as whether seed 62 is bio-engineered or conventionally developed. In addition, producer 6 may retain specific information about the particular characteristics of each field F1-F7 that may affect the resultant crop. Examples of field-specific information include an identification of the crops previously planted, the fertilizers used, adjacent crops, and the like. Producer 6A enters this information through lot tracking module 36 (FIG. 2) and the information is stored in lot identification database 49.

[0042] Producers 6 store harvested crops A-E in farm bins 64A, 64B, 64C, 64D, which are local storage facilities maintained on farms 60. Over time, producers 6 empty and fill each farm bin repeatedly. Prior to storing a new crop in bin 64, producer 6 may clean bin 64 or simply store the old and new crops together, causing them to become commingled and contaminating the new crop with the old one. For example, a producer 6A grows crop A on field F1, then stores crop A in clean bin 64A. Producer 6A then delivers crop A to bin 68 of elevator 66. Thus, crop A has been delivered to elevator 66 without having been commingled with any other crops. Producer 6A also harvests crop A and crop B from fields F2 and F3, respectively, and stores them together in farm bin 64B. This may or may not be signifi-

cant, depending upon the characteristics of crops A and B. If, for example, crops A and B are both organically produced #2 yellow corn, the fact that they have been commingled may not be important. However, if crop A has been organically produced and crop B has not been, the commingling of the two together may be significant to certain customers 12.

[0043] Similarly, producer 6B grows and harvests crop C on fields F4-F6 of farm 60B and stores the harvested crop in farm bin 64C. Producer 6B may have earlier stored a bioengineered crop in farm bin 64C. Assuming crop C has been conventionally developed and farm bin 64C was not cleaned prior to the introduction of crop C, the bio-engineered crop contaminates crop C when the two crops are commingled. That is, a farm bin should be both empty and clean to avoid contaminating subsequently added crops. For example, even if a farm bin is empty but has not been cleaned, trace components remaining in the farm bin will contaminate any crops that are subsequently added. Regardless, producer 6B knows the status of farm bin 64C prior to the introduction of crop C and provides this information to lot tracking system 10 through lot tracking module 36.

[0044] If two different lots of two different crops (e.g., high protein corn and corn with standard protein levels) mix together during storage or transport, a new lot is effectively created and lot tracking system 10 tracks both the new combination and the original lots with a single lot identifier. Thus, each time a lot moves, certain information should be retained and provided to lot tracking system 10. For example, the condition of the storage location or transportation device should be noted; that is, is it empty or full, clean or unclean? If clean and empty, a lot added thereto will remain intact. If partially full or if empty but unclean, producer 6 should record the nature of the previously stored lots or lot tracking system 10 automatically identifies the previously stored lots from data stored in move database 44.

[0045] Generally, each of the transportation and storage locations receive lots from many different producers. By way of example, producer 6A delivers crops A and B, stored together in farm bin 64B, to elevator 66 and stores previously commingled crops A and B together in bin 70 and stores crop A alone in bin 68. Similarly, crop C moves to bin 74 of elevator 72 and commingled crops D and E move into bin 76. At this point, crops A-E are out of the possession and control of the producers 6 who harvested and initially stored them. Intermediaries 8, in this case elevator operators, rely on information provided by producers 6 to identify the characteristics of the lots they are receiving. Similarly, the elevator operators know the status and condition of their bins 68, 70, 74 and 76 as new lots are received. Intermediaries 8 provide this information to lot tracking system 10.

[0046] At some point, the elevator operators transport all or part of the contents of elevator bins 66, 72 to an intermediate storage facility 84, such as a warehouse or similar structure. The elevator operators use a variety of transportation devices 77 including barges 78A, 78B, and 78C, truck 80, train 82 or various other known transportation methods. For example, crop A moves from bin 68 onto barge 78A. Assuming farm bin 64A, elevator bin 68, and barge 78A were all clean and empty, the lot now carried by barge 78A only contains crop A. Barge 78C now contains a lot that includes crops C, D and E and truck 80 has a lot that contains crops A, B, C, D and E. Thus, any customer 12 that wants

information about the lot of truck 80 will need to be aware of crops A, B, C, D and E, including their storage history, the field they were grown in, the seeds used, etc. Of course, only these five crops are illustrated. Many of these storage facilities could have received any number of crops from any number of sources and a given lot could be an accumulation of a great number of different crops.

[0047] Transportation devices 77 move the lots to intermediate storage facility 84 where they are stored either as separate lots or commingled together, depending upon the characteristics of intermediate storage facility 84. Intermediate storage facility 84 then delivers the products (in the same or different lot configurations) to customer facility 88 via transportation devices 86. Each time a lot is moved, participant 4 provides information to lot tracking system 10 indicating whether the location the lot is being moved to is clean and empty and if not, what lots were there since that location's last reported clean and empty status. Alternatively, lot tracking system 10 can determine which lots were there previously based on information retained in database 24.

[0048] Customer 12 can access lot tracking system 10 to obtain information about the histories of the received lots. In addition, customer 12 may use the received crops to make other products that are sold to consumers, and could also utilize the lot tracking system for further processed products and consumer goods. Consumers could also access lot tracking system 10 to determine the history of a given product. For example, a given box of cereal could have an indication of the lots used by a manufacturer in making the product. The consumer could access lot tracking system 10 and determine the nature of the grain used.

[0049] FIG. 5 is a flow chart illustrating an example operation of lot tracking system 10. Referring to FIGS. 1, 2 and 5, customer 12 accesses (90) lot tracking system 10 through remote device 14 and accesses program configuration module 32 to define a program (91) that includes defining a desired type and quantity of a product (92), desired parameters for intermediate storage locations (93), a final destination, and the desired transportation parameters (94). As used herein, the term "program" refers to the parameters that customer 12 creates that relate to the purchase, delivery, handling, processing, and/or any other disposition of a product for customer 12. Customer 12 defines the requirements for each parameter and may also define the actions required for certifying a defined parameter. Customer 12 may set forth the parameters in checklists that are available through lot tracking system 10. For example, customer 12 may define a program that requires producer 6 or intermediary 8 to certify each transportation device as clean and empty and, if not, precisely provide information describing the other lots that are present. This may also be accomplished automatically via other aspects of lot tracking system 10. Furthermore, customer 12 may require producer 6 or intermediary 8 to prepare, sign, scan and/or transmit a specific document to lot tracking system 10 in order to fully comply with the certification requirement. Once created, the program is stored (95) in lot tracking system 10 and is accessible by various producers 6 who may be able to fill the order.

[0050] Producer 6 accesses (96) lot tracking system 10 through contract management module 38 and views (97) the

programs generated by customers 12. In viewing the program, producer 6 takes note of the specific requirements (98) being made by customer 12. If the requirements are acceptable, producer 6 agrees to fulfill an order made for customer 12 and a contract is generated (99). Contract management module 38 may generate the contract automatically if producer 6 and customer 12 have provided sufficient information and have authorized lot tracking system 10 to generate the contract.

[0051] When defining the program, customer 12 also utilizes contract management module 38 to help define the contract. The contract may specify, among other things, a quantity of a desired product to be delivered, the specific characteristics of that product, and the desired delivery locations. Once a program defines a contract, contract management module 38 monitors the status of that contract and allows customer 12 to view the status of the contract. That is, contract management module 38 regulates the allotment of contracts among producers 6 so that contracts are not generated for amounts in excess of the amounts allocated within the program. For example, if a given customer's 12 program is short by 10,000 tons of grain, contract management module will not allow producer 6 to generate a contract for 15,000 tons. Furthermore, customer 12 can access lot tracking system 10 through contract management module 38 and determine how much of the program has been contracted for, filled, and/or delivered.

[0052] Producer 6 grows and harvests the product (100) according to the agreed upon terms. If required, producer 6 provides certifications (102) to lot tracking system 10. For example, producer 6 might certify that a specific seed was utilized or that particular fertilizers were used on a given field. Producer 6 transmits this information to the lot tracking system 10, either in the form of an electronic or digital document, or simply indicates that certifications have been made and are being retained.

[0053] Producer 6 may store the product locally (104), and identifies the particular storage location (106) and corresponding condition (108) to lot tracking system 10. Producer 6 then delivers the product (110) to intermediary 8, usually an elevator, where the product is purchased from producer 6. At this point, producer 6 identifies the transportation device (112) and its condition (114) to lot tracking system 10. From this point until the product reaches its destination, a given lot will follow the same sequence. That is, the lot is moved and stored with the identification and condition of each transportation device or storage location being delivered to lot tracking system 10 along with an identification of the particular lot. The indication of the condition usually includes an indication of whether or not the storage or transportation device is clean and empty. Participants 4 provide certifications 18 at each step as required by the defined program established by customer 12.

[0054] FIG. 6 is a flowchart illustrating an example operation of identifying the condition of a storage location or transportation device (120) to lot tracking system 10. Participant 4 communicates with lot tracking system 10 and identifies a particular lot. The communication is time and date coded (122) or time and date information is manually provided. Participant 4 inspects the storage location or transportation device and determines its condition and reports the condition to lot tracking system 10. More spe-

cifically, participant 4 indicates whether the storage location or transportation device is empty or is already full (or partially full) of a product (124). If the storage location is empty, participant 4 then indicates whether the storage location or transportation device is clean (126). That is, the contents of a given storage location or transportation device could have been completely removed thus making it empty; however, without actually cleaning that storage location subsequently added product will commingle with the remaining residue. Therefore, participant 4 determines either that the storage location is full (124) or is empty but not clean (126), then participant 4 may determine which product or products are already present (128) in the storage location and this information is provided to lot tracking system 10 (130).

[0055] Alternatively, participant 4 may only provide an indication that the storage location or transportation device is not clean and lot tracking system 10 determines from move database 44 which other products are present. Likewise, if the storage location or transportation device is clean and empty, this information is provided to lot tracking system 10 (132). As another alternative, the clean and empty status can be made in a single indication. That is, participant 4 simply indicates whether the location is clean/empty or not clean/empty. In other words, clean and empty can effectively be the same, single status thus reducing the amount of information that participant 4 is required to provide.

[0056] One advantage of the invention is the ability to track a lot and determine its history over a potentially complex transportation and storage process. That is, by accessing lot tracking system 10 participant 4 can determine what a given lot has been stored and transported with, how that lot was grown, and what it was grown from, among other things. One potential issue of concern is whether a given lot is a bio-engineered product or conventionally developed, and if it is a bio-engineered product, whether it has ever been stored or transported with a conventionally developed product. Of course, various other issues may be of concern and could be similarly determined from a trace of a given product. For example, certain parties may wish to know whether a product is organically produced or whether a product contains certain desirable attributes or not.

[0057] FIG. 7 illustrates a flow chart of an example lot tracing process. Participant 4, and most commonly customer 12, accesses lot tracking system 10 through lot tracking module 36 and requests the tracing of a lot (148). Participant 4 provides an identification of the lot to be traced (150), which could be a lot identification code or an indication of a storage location or transportation device along with a time and date indication. Available lots, storage locations, and transportation devices are all searchable and selectable. In other words, there are various ways to identify a given lot of a product to lot tracking system 10. Once a given lot is identified (150), lot tracking system 10 accesses (152) move database 44 and identifies the origin of the searched lot (154). Lot tracking system 10 identifies all other lots that have been added to the searched lot (156) as well as the times and dates they were commingled (158) and a history of the lot is compiled (160) and provided to participant 4.

[0058] FIGS. 8A-8D illustrate an example trace report 170 that could be generated as a compilation of a lot's history. Trace report 170 includes a lot identification code 172 and

a summary of the lot history 174. Summary 174 includes an identification of the lot's current location 176, which is listed as Barge 1. A listing of all previous storage and transportation locations is summarily provided at 178, and each of these is numerically coded. For example, "1" indicates that the lot was in Truck 2, while "4" indicates the lot was in location 1, bin 1.

[0059] In addition, trace report 170 breaks down each location 178 noted in summary 174 into more detail. For example, section 180 refers to transportation device "1", which is Truck 2. More information about Truck 2, such as its owner and operator may be provided. Under section 1.1, previous inputs are listed. These are other products that have been commingled with the traced lot. In this example, a product has been commingled with the traced lot in Truck 2. The commingled product was produced by "John Doe" on his field "8002" from seed variety "V-10". If desired, this field, producer, lot or seed variety could be traced as well.

[0060] The next previous storage location is designated "2" and is detailed at 182. Specifically, storage location "2" refers to location 2, bin 1 which is actually bin 13 of the "Chiuaa" Company's storage location. Section 184 summarizes the two other products that the traced lot was commingled with at this location. Specifically, products from fields 8001 and 8002 (fields 2 and 3, respectively) were added to the traced lot at this location. Section 186 provides further information on field 8002 and section 188 provides further information on field 8001. Trace report 170 provides this type of information for each storage and transportation location. Trace report 170 ends with the initial production of the traced lot. That is, location "4" is the farm bin the product was initially stored in after harvesting and is detailed in section 190. Under heading 4.2.1, section 190 indicates that "5,324" bushels of the product were taken from field 8000 on May 1, 2001 and were grown from seed varieties "V-1, V-2, V-4, V-5, V-6, and V-9." In addition, a sample was collected and is stored with an identification of "1030." The producer may store the sample or send it to a central repository maintained in conjunction with lot tracking system 10. Section 190 also indicates that an additional "555,000" bushels were taken from the same field and stored on May 4, 2001. Thus, even though they are the same product, grown from the same seeds on the same field, these different lots are noted just in case anything was done to the product between harvesting the lots that would be relevant to customer 12.

[0061] FIG. 9 is a flow chart illustrating an example operation of lot tracking system 10 when generating a test or audit (200). Such a test or audit can be done for a variety of reasons. For one, testing could be a standard practice of a given intermediary 8, a requirement of a given program as defined by customer 12, or intermittently requested by various parties. Once initiated, a sample is collected and sent to a testing facility (202). The sample collectors could promptly send the sample in or they could hold the sample for some period of time before submitting it, depending upon the program. Then, the testing facility tests the sample (204) for any number of characteristics and stores the sample (206). The testing facility provides the results (208) to lot tracking system 10 as well as any interested party. If the sampled lot is still moving through the supply chain, it is allowed to continue (210), any required certifications are generated (212), and lot tracking system 10 appropriately

updates (214) the information. Participants 4 provide an indication that the test occurred, provide the results of the testing, and provide either an indication of the certification or the actual certification to lot tracking system 10. Independent third parties observe the locations and/or procedures of various participants 4 and either report or certify those actions through audit module 34.

[0062] If the test results are unacceptable (208), then lot tracking system 10 traces the lot (216) to determine (218) which other lots have been affected by the unacceptable lot. If appropriate, lot tracking system 10 recalls the contaminated lots (220) or provides an indication of their condition. Lot tracking system 10 again updates the information (222).

[0063] FIG. 10 is a schematic representation of a database table 230 used to track the movements of identified lots. Lot tracking system 10 can use various methodologies to track lots, their status, and an identification of commingled products. By way of example, database table 230 is a move table. That is, lots are uniquely identified and each time a lot moves, that move is time stamped and entered into database table 230. Thus, by knowing where a given lot is and for how long, along with an indication of any other lot(s) already present or subsequently added, lot tracking system 10 can determine a complete history. Database table 230 includes an entry for lot identification 232, a time/date index 234, a location origin entry 236, and a location destination entry 243. From this information, lot tracking system 10 can generate a lot history based on the entries of database table 230. Additional information can be stored in database table 230 for convenience, such as a location type entry 238, a location status entry 240 such as clean, empty, etc., and an identification of commingled lots 242.

[0064] FIG. 11 is a schematic illustration of a lot identification database table 244. While database table 230 of FIG. 10 could store all the necessary data, lot identification database table 244 illustrates how additional data can be stored either separately (as illustrated) or with database table 230. Lot identification database table 244 includes a lot identifier entry 246, a seed variety entry 248, a seed lot entry 250, a farm identification entry 252, and a field identification entry 254.

[0065] Lot tracking system 10 tracks a variety of grown products that may be commingled through storage and transportation. Furthermore, lot tracking system 10 can also track the products even after they have been processed or otherwise transformed. For example, lot tracking system 10 tracks lots of soybeans as they are moved, stored and potentially commingled. After receiving a lot of soybeans, customer 12 may process the soybeans into a product such as soybean meal or soymilk. The soybean meal or soy milk is then distributed through commerce, but can still be tracked in the same way by lot tracking system 10 so that interested parties can ascertain the composition of the products received.

[0066] In one embodiment, lot tracking system 10 is implemented on one or more servers hosting HTML (hypertext markup language) based Web pages that are accessible via the Internet, and specifically through the World Wide Web ("the Web" or "WWW"). The Web pages provide a platform and protocol through which producers 6, intermediaries 8, customers 12, consumers or any other participants 4 access lot tracking system 10 and either obtain or provide

information. FIG. 12 illustrates an example interface 260 by which an authorized customer 12 defines a program. Interface 260 refers to the authorized customers 12 as program managers. Only customers 12 i.e., program managers, have access to interface 260. Other users access lot tracking system 10 through other interfaces (not illustrated) that are appropriate for a given participant depending upon their role in the supply chain.

[0067] Interface 260 provides a gateway through which customer 12 defines programs and obtains and provides information. For example, audit link 262 allows customer 12 to generate an audit and record audit findings. Certification link 264 allows customer 12 to view and record certifications. Contract link 266 allows customer 12 to create and modify contracts that provided to producers for various quantities of a given product. Location link 268 and transportation links 278 provide customer 12 the option of defining specific storage locations and transportation devices as well as the various requirements for using those storage locations and transportation devices, at least with respect to that customer 12. A people and user's link 270 allows for the customization of personal information for various participants 4. Programs link 272 allows customer 12 to create and define specific programs for tracking lots. As explained above, the program defines the specific parameters that producers and handlers of the lots must follow to meet a programmer's criteria and accept a given programmer's contract. A trace link 276 allows a specifically identified lot to be traced and facilitates the generation of the appropriate reports. Finally, a samples and test link 274 allows customer 12 to record and modify sample information and requirements.

[0068] FIG. 13 illustrates an example interface 280 displayed by lot tracking system 10 when a participant 4 selects location link 268 of FIG. 12. Participant 4 selects a reason to view a given location from a list 282, then enters the appropriate search criteria or alternatively, participant 4 simply enters search criteria 284 directly. FIG. 14 illustrates an example interface 286 having example location results generated from a location search conducted through interface 280. A listing of locations 288 meeting the designated criteria and each of these locations could be selected to obtain additional information. Interface 286 also provides the same searching parameters 290 that were available with interface 280.

[0069] FIG. 15 illustrates an example interface 292 displaying an example move search format. Specifically, interface 292 allows participant 4 to search for destinations 294 when and origin 296 is known. Customer 12 utilizes a similar page to search for the origin 296. Destination choices 294 prompt participant 4 to enter criteria for the desired type of destination, i.e., storage bins, farms bins, or transportation units. FIG. 16 is an example interface 298 showing results obtained from searching page 292 with the desired destination being a storage bin. Interface 298 lists two possible destination bins 300.

[0070] FIGS. 17A and 17B illustrate example interface 302 presenting move detail information. As illustrated, a move detail section 304 includes information about the relevant program, the time stamp, the status (i.e., clean/empty) of the destination, and tracking information. The origin and destination are indicated at 306 while the results

of any testing done are displayed at 308. Interface 302 simply provides information, while example interface 310, illustrated in FIG. 18 allows participant 4 to edit move details and facilitates the entry or modification of move detail information.

[0071] As explained above, various participants 4 often want to trace a given lot. FIG. 19 illustrates an example interface 312 presenting a trace search that allows participant 4 to trace previously identified lots 314. The desired previously identified lot is selected, in this case "KRAFT APRIL", and the results display on example interface 316 illustrated in FIG. 20, presenting sample search results. Interface 316 indicates where the products came from, when they were delivered, what quantity was delivered and the program name that the delivery was under. Example interface 318 illustrates the data fields that would result if the trace results lead to a farm bin as the source. Of course, selecting any of the listed sources will allow participant 4 to continue along the supply chain to the next previous source of product, (transportation unit, storage location or farm field). FIG. 21 illustrates a search page 320 that allows participant 4 to input various criteria in order to facilitate a trace where the starting point is not obtained from a list of previously identified lots 314. Within interface 320, participant 4 selects from various starting points, such as a storage bin, a transportation unit, or a farm bin. Participant 4 can search each of these criteria in various ways, such as by a specific identification number or code, a name or a company name. FIG. 22 illustrates an example interface 322 providing a sample report identifying all of the inputs into a selected location and FIG. 23 illustrates an example interface 324 presenting a sample report listing details about all of the certifications available for the inputs into the traced location.

[0072] While certain example interfaces have been illustrated, they are not meant to be all-inclusive or limiting. The same types of searching and reporting can be done in other formats. In addition, many of the features of lot tracking system 10 described herein will have additional screens that have not been illustrated herein.

[0073] FIG. 24 illustrates a programmable computing system (system) 400 that provides an operating environment suitable for implementing the techniques described above. The system 400 includes a processor 412 that in one embodiment belongs to the PENTIUM® family of microprocessors manufactured by the Intel Corporation of Santa Clara, Calif. However, the invention can be implemented on computers based upon other microprocessors, such as the MIPS® family of microprocessors from the Silicon Graphics Corporation, the POWERPC® family of microprocessors from both the Motorola Corporation and the IBM Corporation, the PRECISION ARCHITECTURE® family of microprocessors from the Hewlett-Packard Company, the SPARC® family of microprocessors from the Sun Microsystems Corporation, or the ALPHA® family of microprocessors from the Compaq Computer Corporation. In various configurations, system 400 represents any server, personal computer, laptop or even a battery-powered, pocket-sized, mobile computer known as a hand-held PC or personal digital assistant (PDA).

[0074] System 400 includes system memory 413, including read only memory (ROM) 414 and random access

memory (RAM) 415, which is connected to the processor 412 by a system data/address bus 416. ROM 414 represents any device that is primarily read-only including electrically erasable programmable read-only memory (EEPROM), flash memory, etc. RAM 415 represents any random access memory such as Synchronous Dynamic Random Access Memory.

[0075] Within the system 400, input/output bus 418 is connected to the data/address bus 416 via bus controller 419. In one embodiment, input/output bus 418 is implemented as a standard Peripheral Component Interconnect (PCI) bus. The bus controller 419 examines all signals from the processor 412 to route the signals to the appropriate bus. Signals between the processor 412 and the system memory 413 are merely passed through the bus controller 419. However, signals from the processor 412 intended for devices other than system memory 413 are routed onto the input/output bus 418.

[0076] Various devices are connected to the input/output bus 418 including hard disk drive 420, floppy drive 421 that is used to read floppy disk 451, and optical drive 422, such as a CD-ROM drive that is used to read an optical disk 452. The video display 424 or other kind of display device is connected to the input/output bus 418 via a video adapter 425.

[0077] Users enter commands and information into the system 400 by using a keyboard 440 and/or pointing device, such as a mouse 442, which are connected to bus 418 via input/output ports 428. Other types of pointing devices (not shown) include track pads, track balls, joysticks, data gloves, head trackers, and other devices suitable for positioning a cursor on the video display 424.

[0078] System 400 also includes a modem 429. Although illustrated as external to the system 400, those of ordinary skill in the art will quickly recognize that the modem 429 may also be internal to the system 400. Network interface 453 or modem 429 are typically used to communicate over a network (not shown), such as the global Internet, using either a wired or wireless connection.

[0079] Software applications 436 and data are typically stored via one of the memory storage devices, which may include the hard disk 420, floppy disk 451, CD-ROM 452 and are copied to RAM 415 for execution. In one embodiment, however, software applications 436 are stored in ROM 414 and are copied to RAM 415 for execution or are executed directly from ROM 414.

[0080] In general, the operating system 435 executes software applications 436 and carries out instructions issued by the user. For example, when the user wants to load a software application 436, the operating system 435 interprets the instruction and causes the processor 412 to load software application 436 into RAM 415 from either the hard disk 420 or the optical disk 452. Once one of the software applications 436 is loaded into the RAM 415, it can be used by the processor 412. In case of large software applications 436, processor 412 loads various portions of program modules into RAM 415 as needed. The Basic Input/Output System (BIOS) 417 for the system 400 is a set of basic executable routines that have conventionally helped to transfer information between the computing resources within the system 400.

[0081] A number of embodiments of the present invention have been described. Nevertheless, it will be understood that various modifications may be made without departing from the spirit and scope of the invention. Accordingly, other embodiments are within the scope of the following claims. That is, the invention can monitor and track the status of a variety of products through a chain of commerce, and is not limited to agricultural commodities. Thus, the product identity preservation and tracing system facilitates the tracking of products from their creation until their eventual distribution while providing information about the products to interested parties.

1. A method comprising:

receiving product movement information including a source location, a destination location and a transportation device; and

generating a report indicating commingled products based on the product movement information.

2. The method of claim 1, wherein generating a report comprises determining a plurality of lots based on the product movement information.

3. The method of claim 2, wherein determining a plurality of lots comprises assigning a new lot identifier when the products are commingled at a location.

4. The method of claim 1, wherein the product movement information includes a designation of a farm, a field and time harvested.

5. The method of claim 1 further comprising issuing a recall order recalling a lot determined to be contaminated.

6. The method of claim 5 further comprising:

determining all lots that have been commingled with the contaminated lot; and

recalling all the lots determined to have been commingled with the contaminated lot.

7. The method of claim 1 further comprising:

presenting a contract interface to define contracts between producers and customers based on order established by the customers; and

providing a contract module to monitor contract generation and prevent a contract from being generated that is in excess of the order.

8. The method of claim 1, further comprising presenting an interface to define programs for tracking a given lot.

9. The method of claim 8, further comprising presenting an interface for receiving program information to establish checklists for procedures for moving and storing the given lot.

10. The method of claim 8, further comprising:

presenting an interface for receiving program information for establishing parameters for certifying actions taken in moving and storing the given lot; and

receiving an indication that the actions have been certified.

11. The method of claim 1, wherein the identification of the lot further comprises an indication of the character of the product.

12. The method of claim 11, wherein the product is a grown commodity and the indication of the character of the product includes the seed variety used to grow the commodity.

13. The method of claim 11, wherein the product is a grown commodity and the indication of the character of the product includes an indication of whether the commodity is bio-engineered.

14. The method of claim 11, wherein the product is a grown commodity and the indication of the character of the product includes an indication of whether the commodity is conventionally grown.

15. The method of claim 11, wherein the product is a grown commodity and the indication of the character of the product includes an indication of whether the commodity is organically grown.

16. A method comprising:

receiving product movement information including a location identification; and

storing the product movement information, wherein the product movement information includes an indication of a time in, a time out, a location identification, and an indication of whether the location was clean and empty when receiving the lot.

17. The method of claim 16 further comprising receiving a lot identifier.

18. The method of claim 17 wherein a new lot identifier is assigned to each new lot and a new lot is created each time two lots are commingled.

19. The method of claim 16, wherein the location information indicates a transportation device.

20. The method of claim 16 further comprising tracing the lot to determine the location that the lot has been in and to determine every product that has been commingled with the lot.

21. The method of claim 20 further comprising generating a report of the traced lot.

22. The method of claim 16 further comprising issuing an order recalling a lot determined to be contaminated.

23. The method of claim 22 further comprising:

determining all lots that have been commingled with the contaminated lot; and

recalling all the lots determined to have been commingled with the contaminated lot.

24. The method of claim 16 further comprising providing an interface for allowing the customer to define programs for tracking a given lot.

25. The method of claim 16 wherein the product movement information is received from a business entity.

26. The method of claim 24 further comprising providing an interface for establishing checklists of procedures for moving and storing the given lot that must be followed to comply with the program.

27. The method of claim 24 further comprising:

providing an interface for establishing parameters for certifying actions taken in moving and storing the given lot; and

receiving an indication that the actions have been certified.

28. The method of claim 27, wherein receiving the indication includes electronically receiving a certification document.

29. The method of claim 16, wherein the identification of the lot further comprises an indication of the character of the product.

30. The method of claim 29 wherein the product is a grown commodity and the indication of the character of the product includes the seed variety that was used to grow the commodity.

31. The method of claim 29 wherein the product is a grown commodity and the indication of the character of the product includes an indication of whether the commodity is bio-engineered.

32. The method of claim 29, wherein the product is a grown commodity and the indication of the character of the product includes an indication of whether the commodity is conventionally grown.

33. The method of claim 29, wherein the product is a grown commodity and the indication of the character of the product includes an indication of whether the commodity is organically grown.

34. A method comprising:

receiving lot identification information from a producer;

receiving storage location information for each storage location the lot is stored in including an identification the storage location, an indication of a time in, a time out, and a clean and empty status;

receiving transportation information about each transportation device the lot is transported in, including an identification the transportation device, an indication of a time in, a time out, and a clean and empty status;

storing the received information in a database; and

displaying a tracking interface for tracking a lot based on the information in the database.

35. The method of claim 34 wherein new lot identification information is assigned to each new lot and a new lot is created each time two lots are commingled.

36. The method of claim 34, wherein the received storage location information also includes an identification of any other products that the lot may be commingled with during storage.

37. The method of claim 34, wherein the received transportation information also includes an identification of any other products that the lot may be commingled with during storage.

38. The method of claim 34, wherein lot identification information is a designation of a farm, a field and a time harvested.

39. The method of claim 34 further comprising tracing the lot to determine each storage location and transportation device that the lot has been in previously.

40. The method of claim 39, wherein tracing the lot identifies every product that has been commingled with the lot.

41. The method of claim 34 further comprising:

determining if a lot is contaminated; and

issuing an order recalling a contaminated lot.

42. The method of claim 41 further comprising:

identifying each lot the contaminated lot has been commingled with; and

recalling all lots commingled with the contaminated lot.

43. The method of claim 34 further comprising providing an interface for a customer to define programs for tracking a given lot.

44. The method of claim 43 further comprising providing an interface for establishing checklists for procedures for moving and storing the given lot that must be followed to comply with the program.

45. The method of claim 44 further comprising:

providing an interface for establishing parameters for certifying actions taken in moving and storing the given lot; and

receiving an indication that the actions have been certified.

46. The method of claim 45, wherein receiving the indication includes electronically receiving a certification document.

47. The method of claim 34, wherein the identification of the lot further comprises an indication of the character of the product.

48. The method of claim 47, wherein the product is a grown commodity and the indication of the character of the product includes the seed variety that was used to grow the commodity.

49. The method of claim 47, wherein the product is a grown commodity and the indication of the character of the product includes an indication of whether the commodity is bio-engineered.

50. The method of claim 47, wherein the product is a grown commodity and the indication of the character of the product includes an indication of whether the commodity is conventionally grown.

51. The method of claim 47, wherein the product is a grown commodity and the indication of the character of the product includes an indication of whether the commodity is organically grown.

52. A computer-readable medium comprising instructions stored thereon causing a programmable processor to:

present an operating interface to receive operating instructions from a customer to define a lot tracking program;

present a production interface to receive lot identification information from a producer of the product;

present a transportation interface to receive movement information from a transporter of the product including an identification of the transportation device and timing information; and

present a storage interface to receive storage information from a storage facility indicating the location where the lot is stored and timing information.

53. The computer-readable medium of claim 52, having further instructions stored thereon to cause the programmable processor to present a tracing interface wherein a given lot can be identified and its history traced thereby identifying any other lots that have been commingled with the given lot.

54. The computer-readable medium of claim 52, wherein the timing information includes a time the lot moves in and a time the lot moves out.

55. The computer readable medium of claim 52, wherein the storage information includes an indication of whether the storage facility is clean and empty.

56. The computer readable medium of claim 52, wherein the movement information includes an indication of whether the transportation device is clean and empty.

57. The computer-readable medium of claim 52, having further instructions stored thereon to cause the programmable processor to provide a recall interface wherein a given lot can be identified as contaminated and the contaminated lot and any lots commingled with the contaminated lot can be identified and recalled.

58. The computer readable medium of claim 52, wherein the storage information includes an identification of any lots stored in the storage facility since the last indicated clean and empty status.

59. The computer readable medium of claim 52, wherein the movement information includes an identification of any lots moved in the transportation device since the last indicated clean and empty status.

60. The computer-readable medium of claim 55, having further instructions stored thereon to cause the programmable processor to:

provide a contract interface so that a customer can define a contract as part of the lot tracking program; and

monitor a contract status to prevent the generation of a contract in excess of the lot tracking program.

61. A computer-readable medium comprising instructions stored thereon to cause a programmable processor to create a database table comprising:

a first field for storing a unique lot identifier;

a second field for storing a time stamp;

a third field for storing a unique location identifier; and

update the database with information received relating to the database fields.

62. The computer-readable medium of claim 61, wherein a new lot identifier is assigned to each new lot and a new lot is created each time two lots are commingled.

63. The computer-readable medium of claim 61, wherein the time stamp includes a first time and date the lot is moved into a location and a second time and date that the lot is moved out of the location.

64. The computer-readable medium of claim 61 comprising further instructions stored thereon to cause the programmable processor to create a fourth field in the database for indicating whether other products are commingled with the lot.

65. The computer-readable medium of claim 61 comprising further instructions stored thereon to cause the programmable processor to create a fourth field in the database for indicating whether the location is clean and empty.

66. The computer-readable medium of claim 61 comprising further instructions stored thereon to cause the programmable processor to trace an identified lot and determine each location the identified lot has been in previously.

67. The computer-readable medium of claim 66, wherein the trace also indicates any other lots commingled with the identified lot.

68. A system comprising:

a database to store movement tracking information relating to a unique identification of a lot, a location of the lot, and timing information; and

a web server to generate a tracking screen for tracing the movement and storage of the lot based on the database and to identify any commingled products.

69. The system of claim 68, wherein the web server further comprises a program configuration module configured to allow a customer to define a program for tracking the lot.

70. The system of claim 69, wherein the program provides a checklist for handling the lot.

71. The system of claim 69, further comprising a contract module that allows the customer to generate a contract with a producer for a quantity of a product defining the lot.

72. The system of claim 71, wherein the contract module prevents the generation of a contract in excess of a predetermined maximum order.

73. The system of claim 69, wherein the program configuration module allows the customer to define certification requirements for handling the lot.

74. The system of claim 70, wherein the certification requirements include electronically delivering certification documents to the system.

75. The system of claim 68, further comprising:

an audit, certification and testing module configured to allow transporters of the lot to identify a specific transportation device, a time the lot enters the transportation device, a time the lot leaves the transportation device, and a clean and empty status of the transportation device.

76. The system of claim 68, wherein the system is in communication with a business entity and receives movement tracking information from the business entity.

77. The system of claim 68, further comprising a contract module for facilitating and monitoring contracts wherein the contract module prevents the generation of a contract in excess of a predetermined order maximum.

78. The system of claim 68, further comprising an audit, certification and testing module configured to allow storage facilities that store the lot to identify a specific storage location, a time the lot enters the storage location, a time the lot leaves the storage location, and a clean and empty status of the storage location.

79. A system configured to track of movements of a product lot between a producer of the product, transporters of the product, and storage units that store the product, the system comprising:

a database;

a server configured to

receive production information from the producer, the production information including an identification of a seed variety used for the lot, the field the lot was grown on, a farm storage location, timing data indicating when the lot was stored and when the lot was shipped from the farm storage location, an identification of commingled products, and a certification certifying at least a portion of the production information;

receive transportation information from a transporter of the lot, the transportation information including an identification of the transportation device, a time received in the transportation device, a time unloaded from the transportation device, an identification of products commingled during transportation, and a certification certifying at least a portion of the transportation information;

receive storage information including an identification of the storage facility, a time received by the storage facility, a time delivered from the storage facility, an identification of products commingled during storage, and a certification certifying at least a portion of the storage information;

store the received production information, transportation information, and storage information in the database; and

generate tracing information for the lot.

80. A system configured to track of movements of a grown product lot between a producer of the product, transporters of the product, and storage units that store the product, the system comprising:

a database; and

a server configured to

receive production information from the producer, the production information including an identification of a seed variety used for the lot, the field the lot was grown on, a farm storage location, timing data indicating when the lot was stored and when the lot was shipped from the farm storage location, an indication when the farm storage location is clean and empty, and a certification certifying at least a portion of the production information;

receive transportation information from a transporter of the lot, the transportation information including an identification of the transportation device, a time received in the transportation device, a time unloaded from the transportation device, an indication when the transportation device is clean and empty, and a certification certifying at least a portion of the transportation information;

receive storage information including an identification of the storage facility, a time received by the storage facility, a time delivered from the storage facility, an

indication when the storage facility is clean and empty, and a certification certifying at least a portion of the storage information;

store the received production information, transportation information, and storage information in the database; and

generate tracing information for the lot.

81. A method comprising:

receiving product movement information including a location status and a time stamp;

storing the product movement information in a database; and

generating a report identifying each product location and any other products commingled with the product.

82. The method of claim 81, wherein the product movement information includes a unique product identifier that includes a designation of a farm, a field and time harvested.

83. The method of claim 81, further comprising recalling a lot determined to be contaminated.

84. A system comprising:

a database to store product movement information including a location, a location status, and a time; and

a lot tracking module to generate a tracking information for the product based on the product movement information stored in the database.

85. The system of claim 84 further comprising an audit, certification and testing module configured to receive the product movement information.

86. The system of claim 84, wherein the lot tracking module identifies commingled products based on the product movement information.

87. The system of claim 84, further comprising a program configuration module that receives and presents customer programs.

* * * * *